



D. IO. HIERON. KNIPHOFII
PATHOL. ET PRAX. IN ACAD. ERFVRT. PROF. PVBL.
ORDIN. FACVLT. MED. SENIOR. ET ADSESS. PRIMAR.
ACAD. CAESAR. NAT. CVRIOSOR. ADIVNCTI
ET BIBLIOTHECARIJ,
BOTANICA IN ORIGINALI
SEV
HERBARIVM VIVVM
IN QVO
PLANTARVM TAM INDIGENARVM
QVAM EXOTICARVM
PECVLIARI QVADAM OPEROSAQVE ENCHIRESI
ATRAMENTO IMPRESSORIO OBDVCTARVM
NOMINIEVSQVE SVIS
AD METHODVM
ILLVSTRIVM NOSTRI AEVI BOTANICORVM
LINNAEI ET LVDWIGII
INSIGNITARVM
ELEGANTISSIMA ECTYPA EXHIBENTVR
OPERA ET STVDIO
IOANNIS GODOFREDI TRAMPE
TYPOGRAPHI HALENSIS.

~~~~~  
**CENTVR. II.**

~~~~~  
HALAE MAGDEBVRGICAE,
M DCC LVIII.





Verzeichniß

Der in die 2^{ten} centur. befindlichen Pflanzen

Achyranthes aspera sicula.

Adonis vernalis.

Ambrosia maritima.

Amethystia caerulea.

Arctotis Ludwickii.

Asclepias incarnata.

Astrantia major.

Atriplex portulacoides.

Basella rubra.

~~Cassiope~~ Calendula nudicaulis.

Cardiospermum.

Cerithe major. Variet. a flore

Cheiranthus cheiri officinalis. flavo.

Chrysocoma Linosyris.

Clusia minor.

~~Carya~~ Clusia pulchella; Mas.

Cneorum tricoccum.

Convallaria Stellata.

Delphinium, consolida regalis.

Doronicum pardalianches. Off.

Dracocephalum Virginianum.

Eupatorium altissimum.

Euphorbia cotinifolia.

Ficus carica offic.
~~Cydonia~~ *Gladiolus communis*
Gnaphalium citrinum
Gnaphalium fetidum
Heliotropium Indicum
Hermannia Althoeifolia
Hibiscus malvanisus
Hibiscus Syriacus
Hyacinthus non scriptus
Hypocissamus albus
Hypericum balearicum
Hyslopus lophanthus
Kiggelaria Africana, Mas.
Lavandula dentata
Leucosium autumnale
Lilium pomponium
Linum perenne
Litoxylum capillare, rufescens
Melia azedarach
Mespilus Germanica, Variet. H. B.
Monarda fistulosa
Monarda didyma
Osmunda regalis
Pasciflora cerulea
Pentapetes Phoenicea
Periploca graeca
Petiveria alliacea
Phlomis Leonurus
Phania dactylifera fem.
Phyllis Euxiphia

*Nicotiana
 paniculata*

Pimpinella, Anisum Officinale
Pittacia vera, Mas, Officinalis
Pittacia vera femina
Plumbago Seylanica
Polygonum viviparum
Potentilla multifida
Portulaca bituminosa, Variet. α
Punica floriplena Major
Ranunculus Aconitifolius
Ranunculus amplexicaulis
Ranunculus auricomus
Rheum, Rhabarbarum verum, Officinale
Rhodiola, Rhodia officinalis
Rhus cotinus
Rhus toxicodendron
Ribes nigrum officinale
Ribes rubrum officinale
Rivina humilis, scandens, Variet. β
Rivina humilis, glabra, Variet. γ
Rosa alba, flore pleno, Variet. β
Rudbeckia hirta
Salvia Hispanica
Salvia officinalis
Trofulcaria Marylandica
Trofulcaria nodosa, fetida, officinalis
Scrapias helleborina
Terratula tinctoria
Tida cristata, Variet. α
Sideroxylum merume
Tiglis bectia Orientalis
Spermacoe Lemnior
Thapselia hirsuta
Thalictrum sinuata
~~Thalictrum~~

*Petrilera
 eriodes*

Tamarix Gallica. Tamariscus Officin.

Tanacetum balsamita.

Tanacetum vulgare off.

Tarhonanthus Camphoratus.

Telesphium Imperati.

Teucrium, Halleri

Triticum Spelta.


Verbena Canariense.

Vitex.

Xanthoxylum spinosum.



$\frac{2}{1}$ ACHYRANTHES caule erecto, calycibus reflexis spicae
adpressis. *Linn. S. P.* 204. *Ludw. D. G. P.* 677.
• • • • aspera.





$\frac{2}{2}$ ADONIS flore dodecapetalo, fructu ovato.
Linn. S. P. 547. Ludw. D. G. P. 753.
- - - vernalis.





$\frac{2.}{3.}$ AMBROSIA foliis multifidis, racemis solitariis pilosis.
Linn. S. P. 988. Ludw. D. G. P. 858.
- - - - -
maritima.





$\frac{2.}{4}$ AMETHYSTEA. *Linn. S. P. 21.*
- - - - - caerulea.





2.
3


ARCTOTIS foliis pinnato sinuatis: laciniis oblongis
dentatis. *Linn.* S. P. 922. variet. ^o.
Anemonospermos. *Ludw.* D. G. P. 263.
..... aspera.





2.
6.

ASCLEPIAS foliis lanceolatis, caule superne diuiso, umbel-
lis terminalibus congestis. *Lin.* S. P. 215.
Ludw. D. G. P. 99.
- . - . incarnata.






$\frac{2}{7}$. ASTRANTIA foliis quinquelobis: lobis trifidis.
Linn. S. P. 235. Ludw. D. G. P. 655.
- maior.





$\frac{2}{8}$ ATRIPLEX caule fruticoso, foliis obouatis.
Linn. S. P. 1053. Ludw. D. G. P. 775.
Portulacoides.





$\frac{2.}{9}$

BASELLA foliis planis. *Linn. S. P.* 272.
Ludw. D. G. P. 27.
- - - - rubra.





$\frac{2}{10}$

CALENDULA foliis lanceolatis finuato dentatis.
Linn. S. P. 922.
Caltha. Ludw. D. G. P. 348.
.....
nudicaulis.





2.
11.

CARDIOSPERMUM. *Linn. S. P. 366. variet. ov.*
Ludw. D. G. P. 442.
Halicacabum.





2.
12.

CERINTHE foliis amplexicaulibus, fructibus geminis, corollis obtusifusculis patulis. *Linm. S. P.* 136. var. α .
Ludw. D. G. P. 34.
• • • maior. flore flauo. *Hort. Cliff.* 48.





2.
13.

CHEIRANTHVS foliis lanceolatis acutis glabris.
Linn. S. P. 661. variet. 3. Ludw. D. G. P. 412.
Cheiri. officin.
Leucoium luteum, magno flore.





$\frac{2.}{14}$ CHRYSOCOMA herbacea, foliis linearibus glabris, caly-
cibus laxis. *Linn. S. P.* 841.
Ludw. D. G. P. 307.


Linofyris.





2
15

CLUSIA foliis venosis. *Lim. S.* P. 510.
Ludw. D. G. P. 591.
- . . minor.





$\frac{2}{16}$ CLUSIA foliis ovatis integerrimis, floribus lateralibus.
Linm. S. P. 1042. Ludw. D. G. P. 912.
- - - pulchella. mas.





$\frac{2}{17}$

CNEORVM. *Lin.* S. P. 34.
Chamaelea. *Ludw.* D. G. P. 375.
- - - - tricoccon.





$\frac{2}{18}$


CONVALLARIA foliis amplexicaulibus plurimis, racemo terminali simplici. *Lin.* S. P. 316.
Polygonatum. *Ludw.* D. G. P. 126.
- - - - - stellata.





2.
19.

COTYLEDON foliis laciniatis, floribus quadrifidis.
Linn. S. P. 430. Ludw. D. G. P. 142.
laciniata.





2.
20.

DELPHINIVM nectaris monophyllis, caule subdiviso.
Linu. S. P. 530. Ludw. D. G. P. 740.

Consolida.

- - - regalis. officin.





2.
21.

DORONICVM foliis cordatis obtusis: radicalibus pe-
tiolatis; caulinis amplexicaulibus.
Lin. S. P. 885. *Ludw.* D. G. P. 354.
- pardalianches.
- officin.





$\frac{2}{22}$ DRACOCEPHALVM floribus spicatis, foliis lanceolatis
ferratis. *Lin.* S. P. 594. *Ludw.* D. G. P. 200.
- - - - - virginianum.






2.
23.

EVPATORIVM foliis lanceolatis nervosis: inferioribus
extimo subterratis, caule suffruticoso.
Linn. S. P. 837. Ludw. D. G. P. 308.
altissimum.





2.
24


EUPHORBIA foliis oppositis subcordatis petiolatis emar-
ginatis integerrimis, caule fruticoso.
Lim. S. P. 453. *Ludw.* D. G. P. 166.
- . . . cotinifolia.



301



$\frac{2}{25}$ FICVS foliis palmatis. *Lin.* S. P. 1059. variet. α .
Ludw. D. G. P. 866.
Carica. officin.



2.
26

GLADIOLVS foliis ensiformibus, floribus distantibus,
Lin. S. P. 36. *Ludw.* D. G. P. 187.
- - - - - communis.
Victorialis rotunda. officin.

1870

THE UNIVERSITY OF CHICAGO
LIBRARY





2.
27.

GNAPHALIVM foliis lanceolatis: inferioribus obtusis, caule herbaceo simplicissimo, corymbo composito. *Lin.* S. P. 854.

Ludw. D. G. P. 305.

arenarium.
Stoechas citrina. officin.





2.
28.

GNAPHALIVM foliis amplexicaulibus integerrimis acutis
subtus tomentosis, caule ramato.

Linn. S. P. 851. Ludw. D. G. P. 305.

foetidum.

Elichrysum africanum latifolium foetidum, capitulo aureo.

Linn. Hort. Cliff. 402.





2.
29

HELIOTROPIUM foliis cordato ovatis acutis scabri-
usculis, spicis solitariis, fructibus bifidis.
Lin. S. P. 130. *Ludw.* D. G. P. 39.
.....
indicum.





$\frac{2.}{30}$ HERMANNIA foliis ovatis plicatis crenatis tomentosis.
Linn. S. P. 673. Ludw. D. G. P. 522.
- - - - althaeaeifolia.





$\frac{2.}{31.}$

HIBISCUS foliis cordatis crenatis: angulis lateralibus extremis parvis, caule arboreo. *Linn. S. P.* 694.
Maluauifcus. Ludy. D. G. P. 155.





2.
32.

HIBISCUS foliis ovato lanceolatis: superne inciso serratis,
caule arboreo. *Linn. S. P.* 695.

Ketmia. Ludw. D. G. P. 151.

- - - - - *fyriacus.*


Ketmia fyrorum, flore purpureo violaceo. Hort. Cliff. 350.





$\frac{2}{33}$ HYACINTHVS corollis campanulatis sexpartitis apice
reuolutis. *Lin.* S. P. 316. *Ludw.* D. G. P. 121.
- - - - non scriptus.





2.
34.

HYOSCYAMVS foliis petiolatis, floribus sessilibus.

Linn. S. P. 180. variet. β . *Ludw. D. G. P.* 275.
albus.





2.
25.

HYPERICVM floribus pentagynis, caule fruticoso, foliis
ramisque cicatritatis. *Lin.* S. P. 783.

Afcyrum. *Ludw.* D. G. P. 615.

balearicum.

Handwritten text, likely bleed-through from the reverse side of the page. The text is extremely faint and illegible due to the low contrast and blurriness of the scan. It appears to be organized into several lines or paragraphs, but no specific words or numbers can be discerned.



2.
36.


HYSSOPVS corollis transversalibus, staminibus inferioribus corolla brevioribus. *Linn. S. P.* 569.
Lopanthus.





$\frac{2}{37}$

KIGGELARIA. *Linn. S. P.* 1037.
Ludw. D. G. P. 915.
-
africana. mas.






2.
38.

LAVANDULA foliis pinnato dentatis.

Linn. S. P. 572. Ludw. D. G. P. 220.
dentata.






²/₃₉

LEVCOIVM spatha multiflora, stylo filiformi.
Linn. S. P. 289. Ludw. D. G. P. 721.
- . . . autumnale.





$\frac{2}{40}$

LILIVM foliis sparsis subulatis, floribus reflexis, corollis
reuolutis. *Linn.* S. P. 302. *Ludw.* D. G. P. 715.
- . . pomponium.





2.
41

LINVM capitulis capsulisque obtusis, foliis alternis lanceolatis integerrimis. *Linn. S. P.* 277.


Ludw. D. G. P. 547.

- - - perenne.





$\frac{2.}{42}$ LITHOXYLUM fronde supradecomposita: ramulorum
summitatibus capillaceis patulis.
Keratophytum. *Ludw.* D. G. P. 1003.
capillaceum. (rufescens.)





$\frac{2}{43}$

LITHOXYLVUM fronde supradecomposita: ramulorum
summitatibus patulis truncatis.
Keratophytum. *Ludw.* D. G. P. 1003.
truncatum. (viridescens.)





$\frac{2}{44}$

MELIA foliis bipinnatis.
Linm. S. P. 384 variet. *n.*
Azedarach. *Ludw.* D. G. P. 561.






9
45.

MESPILVS inermis, foliis lanceolatis integerrimis subtus
tomentosis, calycibus acuminatis.

Lin. S. P. 478. variet. β . *Ludw.* D. G. P. 617.

• - - - - germanica.

- - - - - officin.






$\frac{2}{46}$ MONARDA floribus capitatis subdidynamis, caule acutangulo. *Linn. S. P.* 22. *Ludw. D. G. P.* 179.
- - - - didyma.





2.
47.

MONARDA capitulis terminalibus, caule obtusangulo.
Linn. S. P. 22. *Ludw.* D. G. P. 179.
- - - - fistulosa.





$\frac{2}{48}$

NICOTIANA foliis cordatis, floribus paniculatis: tubis
clavatis. *Lin.* S. P. 180. *Ludw.* D. G. P. 58.
- . - . - .
paniculata.





2
19.

OSMVNDA fronde bipinnata apice racemifera.
Linm. S. P. 1065. Ludw. D. G. P. 951.
- regalis.





50.

PASSIFLORA foliis palmatis integerrimis. *Linn.* S. P. 959.
Granadilla. *Ludw.* D. G. P. 539.
- - - - - caerulea.






$\frac{2}{59}$

PENTAPETES foliis hastato lanceolatis ferratis.


Lim. S. P. 698.

Pterospermadendron. *Ludw.* D. G. P. 1059.
phoenicea.





2
52
PERIPLOCA floribus interne hirsutis.
Linn. S. P. 211. Ludw. D. G. P. 102.
- . - . -
graeca.





$\frac{2.}{53.}$

FETIVERIA. *Linn. S. P. 342.*
Ludw. D. G. P. 788.
- - - - -
alliacea.





2.
54.

PHLOMIS foliis lanceolatis ferratis, involucris linearibus nudis, calycibus decagonis decedentatis.

Linn. S. P. 787.

Leonurus. Ludw. D. G. P. 198.





2.
55.

PHOENIX frondibus pinnatis: foliolis complicatis.
Lin. S. P. 1188. *Ludw.* D. G. P. 908.
- - - - dactylifera. foemina.
Dactyli. officin.

1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900



2.
56

PHYLLICA foliis ovatis sparsis. *Lin.* S.P. 195.
Ludw. D. G. P. 68.
- - - buxifolia.





$\frac{2}{57}$ PIMPINELLA foliis radicalibus trifidis incis. *Lin.* S. P. 264.
Apium. *Ludw.* D. G. P. 695.
Anisum. officin.





2.
58. PISTACIA foliis impari pinnatis: foliolis subovatis
recurvis. *Linu.* S. P. 1025.
Terebinthus. *Ludw.* D. G. P. 926.
- - - - vera. mas.
- - - - officin.






2.
59

PISTACIA foliis impari pinnatis: foliolis subovatis recurvis. *Lin.* S. P. 1025.

Terebinthus. *Ludw.* D. G. P. 926.

- - - - vera. foemina.
- - - - officin.





2
60. PLUMBAGO foliis petiolatis. *Linn. S. P.* 151.
Ludw. D. G. P. 30.
- - - - zeylanica.






$\frac{2}{61}$ POLYGONVM caule simplicissimo monostachyo,
foliis lanceolatis. *Linn. S. P.* 360.
- - - - viviparum.





2.
62. POTENTILLA foliis bipinnatis: segmentis integerrimis
distantibus subtus tomentosis, caule de-
cumbente. *Linn. S. P.* 496.
Ludm. D. G. P. 621.
• • • • • multifida.





2.
63.

PSORALEA foliis omnibus ternatis, pedunculis spicatis
folio longioribus. *Linn. S. P.* 763. variet. *u.*
Ludw. D. G. P. 637.
• • • • bituminosa.





2
64

PVNICA. *Linu.* S. P. 472. *Ludw.* D. G. P. 736.
Granatum. officin.
Punica flore pleno maiore. Hort. Cliff. 184.





2.
65

RANUNCULUS foliis omnibus quinatis lanceolatis inciso
ferratis. *Lim. S. P.* 551. *Ludw. D. G.* P. 623.

- - - - - aconitifolius.
Ranunculus folio aconiti, flore albo multiplici. *Bauh.* pin. 179.





2.
56

RANUNCVLVS foliis ovatis acuminatis amplexicaulibus,
caule subunifloro, radice fasciculata.
Lin. S. P. 549. *Ludw.* D. G. P. 623.
- - - - - amplexicaulis.





2
67. RANUNCULUS foliis radicalibus reniformibus crenatis
incisis: caulinis digitatis linearibus,
caule multifloro. *Lin.* S. P. 551.
Ludw. D. G. P. 623.
- auricomus.





2.
68. RHEVM foliis subuillofis, petiolis aequalibus.
Linn. S. P. 372. Ludw. D. G. P. 138.
Rhabarbarum.
- - - verum. officin.






2
99

RHODIOLA. *Lin.* S. P. 1035.
Sedum. Ludw. D. G. P. 613.
Rofea.
Rhodia. officin.






$\frac{2}{70}$

RHVS foliis simplicibus obouatis.
Lin. S. P. 267.
Cotinus. *Ludw.* D. G. P. 534.






$\frac{2.}{71.}$

RHVS foliis ternatis: foliolis petiolatis angulatis pubescen-
tibus. *Lin.* S. P. 266. *Ludw.* D. G. P. 535.
Toxicodendron.






$\frac{2}{72}$
RIBES inermis, racemis pilosis, floribus oblongis.
Linn. S. P. 201. Ludw. D. G. P. 533.
- . . nigrum. officin.






$\frac{2}{73}$ RIBES inermis, racemis glabris pendulis, floribus plani-
nuculis. *Lim.* S. P. 200. *Ludw.* D. G. P. 533.
- - - rubrum. officin.





$\frac{2.}{74.}$ RIVINA. *Linm.* S. P. 122. variet. γ .
Ludw. D. G. P. 769.
- - - humilis glabra.





$\frac{2}{75}$

RIVINA. *Linn. S. P.* 121. variet. 3.
Ludw. D. G. P. 769.
- . - humilis scandens.





2.
76

ROSA caule aculeato, pedunculis lacubus, calycibus semi-
pinnatis glabris. *Linn. S. P.* 492. variet. *β.*

Ludw. D. G. P. 628.

- - - alba. flore pleno.





²/₇₇ RVDBECKIA foliis indivisis spatulato ovatis, radii petalis
emarginatis. *Linn.* S. P. 907. *Ludw.* D. G. P. 361.
- - - - hirta.





2
178.

SALVIA foliis ovatis; basi mucronato tuberosis, spicis
imbricatis, calycibus trifidis. *Linn. S. P.* 25.

Ludw. D. G. P. 176.

• • • hispanica.

11.3






²
179.
SALVIA foliis lanceolato ovatis integris crenulatis, floribus
spicatis, calycibus acutis. *Lin.* S. P. 23. variet. β .

Ludw. D. G. P. 176.

- - - officinalis.

Salvia minor aurita et non aurita.





$\frac{2}{80}$

SCROPHVLARIA foliis cordatis
ferratis acutis basi rotundatis, caule
obtusangulo. *Lin.* S. P. 619.
Ludw. D. G. P. 252.

■ ■ ■ marilandica.



2.
81.

SCROPHULARIA foliis cordatis
basi transuersis, caule obtusan-
gulo. *Lim.* S. P. 619.
Ludw. D. G. P. 252.

- - - nodosa.

Scrophularia foetida. officin.







2
82. SERAPIAS bulbis fibrosis, nectarii labio obtuso crenato
petalis brevioribus. *Linn.* S. P. 949. variet. β.
flore carneo.
Helleborine. *Ludw.* D. G. P. 699.





2.
83.

SERRATULA foliis pinnatifidis. pinnis terminali maxima.
Lin. S. P. 316. *Luc.* D. G. P. 318.
- - - - - tinctoria.
Serratula tinctoria I. Tab. hist. 439.

THE UNIVERSITY OF CHICAGO
LIBRARY



2.
84.

SERTULARIA fronde supradecomposita, ramulis geniculatis: denticulis alternis.

Corallina pumila erecta ramosior. *Linn. Syst. Nat.* 76. 9.

Raj. *Syn.* 3. 37. t. 2. f. 1.

• • • ericoides.





$\frac{2.}{85.}$

SIDA foliis angulatis: inferioribus cordatis, superioribus
panduriformibus. *Linn. S. P.* 685. variet. ∞ .
Abutilon. *Ludw. D. G. P.* 153.
• • • cristata.





$\frac{2}{86}$ SIDEROXYLUM inerme. *Linn.* S. P. 192.
Ludw. D. G. P. 85.
- - - - - inerme.





$\frac{2}{87}$ SIGESBECKIA petiolis sessilibus, calycibus
inuolucratis. *Lim.* S. P. 900.
Verbesina. *Ludw.* D. G. P. 314.
orientalis.






$\frac{2.}{88.}$ SPERMACOCE glabra, staminibus inclusis.
Linn. S. P. 102. Ludw. D. G. P. 14.
..... tenuior.





$\frac{2}{89}$

STAPELIA denticulis ramorum erectis. *Linn. S. P.* 217.
Ludw. D. G. P. 100.
- - - - hirsuta.





2
90.

STATICE foliis radicalibus alternatim pinnato sinuatis:
caulinis ternis triquetris tubulatis decurrentibus.

Limn. S. P. 276.

Limonium. *Ludw.* D. G. P. 541.

finuata.





2
91.

TAMARIX floribus pentandris. *Lin.* S. P. 270.
- - - gallica.
Tamariscus, *Ludw.* D. G. P. 518.
- - - officin.





$\frac{2}{92}$

TANACETVM foliis ovatis integris serratis.
Linn. S. P. 845. Ludw. D. G. P. 295.
Balsamita. officin.





$\frac{2}{93}$

TANACETVM foliis bipinnatis incisis serratis.

· · · · *Lin.* S. P. 844. variet. α . *Ludw.* D. G. P. 295.

· · · · vulgare.

· · · · officin.





$\frac{2}{94}$

TARCHONANTHVS. *Lim.* S. P. 842.
Ludw. D. G. P. 320.
- . - . - . - .
camphoratus.






$\frac{2}{95}$ TELEPHIVM. *Linn.* S. P. 271.
Ludw. D. G. P. 517.
- . . . imperati.



2
36.

TEVCRIVM foliis cordatis crenatis pe-
tiolatis, spicis terminalibus dens-
sissimis. Hall. Comment. Goett.
Tom. 2. p. 343. Tab. 13.
Ludw. D. G. P. 190.
- . . . Halleri.







$\frac{2}{97}$

TRITICVM calycibus truncatis quadrifloris, flosculis
aristatis hermaphroditis: intermedio neutro.
Lin. S. P. 86. *Ludw.* D. G. P. 827.

Spelta.

III. 25





$\frac{2}{98}$ VERBENA tetrandra, spicis fasciculatis, foliis lanceolatis
amplexicaulibus. *Lim.* S. P. 20. *Ludw.* D. G. P. 222.
- - - bonariensis.





$\frac{2}{99}$ VITEX foliis digitatis, spicis verticillatis.
Linm. S. P. 638. variet. a. Ludw. D. G. P. 262.
Agnus castus.
- - - officin.





$\frac{2}{100}$

XANTHIVM spinis ternatis. *Lin.* S. P. 987.
Ludw. D. G. P. 859.
- - - spinosum.

